

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 0 | (java near3 based near3 server)".clm" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/07 12:59 |
| L2 | 47 | java near3 based near3 server.clm. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/07 13:00 |
| L3 | 1718 | kilian.in. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/07 13:00 |
| L4 | 1 | 2 and 3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/07 13:00 |
| S1 | 621 | non adj java | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/12/19 12:42 |
| S2 | 587 | non adj java | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:44 |
| S3 | 224 | non adj java | USPAT | ADJ | ON | 2007/12/19 12:43 |
| S4 | 188 | S3 and server | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:44 |
| S5 | 182 | S4 and network | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:45 |
| S6 | 9 | S5 and cluster | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:46 |
| S7 | 31 | S5 and packet | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:47 |
| S8 | 86 | (non adj java) same (java adj based) | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:58 |
| S9 | 59 | (non adj java) and cluster | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:48 |
| S10 | 905 | communicat\$3 and network and nodes and server and java and packet and address and cluster | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:58 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S11 | 387 | S10 and "709".clas. | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:57 |
| S12 | 6 | S11 and (non adj java) | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 12:58 |
| S13 | 0 | S11 and forward and geneart \$3 | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:00 |
| S14 | 279 | S11 and forward and generat \$3 | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:00 |
| S15 | 193 | S14 and header | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:00 |
| S16 | 0 | S15 and destinatiom | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:01 |
| S17 | 153 | S15 and destination | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:01 |
| S18 | 132 | S17 and platform | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:02 |
| S19 | 24 | S18 and "707".clas. | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:13 |
| S20 | 1 | "20050108395" | US-PGPUB; USPAT | ADJ | ON | 2007/12/19 13:14 |
| S21 | 1 | "7302609".pn. | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 07:50 |
| S22 | 1 | "20030037148" | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 07:55 |
| S23 | 86 | (non adj java) same (java adj based) | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:58 |
| S24 | 0 | S23 and 709/238.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:58 |
| S25 | 906 | communicat\$3 and network and nodes and server and java and packet and address and cluster | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:58 |
| S26 | 26 | S25 and 709/238.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:59 |
| S27 | 26 | S26 and java | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:59 |
| S28 | 23 | S26 and non | US-PGPUB; USPAT | ADJ | ON | 2007/12/20 15:59 |
| S29 | 29 | non\$java near3 server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:00 |
| S30 | 22 | S29 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:01 |

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S31 | 7 | (communication near3 (server \$ or node\$) near3 (intermediate adj server)) same packet | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:05 |
| S32 | 4 | S31 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:05 |
| S33 | 133 | (communication near3 (server \$ or node\$) near3 (intermediate adj server)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:06 |
| S34 | 8 | S33 and ((send\$3 or forward \$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:07 |
| S35 | 7 | S34 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:08 |
| S36 | 1801 | (server\$ or node\$) near3 (intermediate adj server) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:11 |
| S37 | 232 | S36 and ((send\$3 or forward \$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:12 |
| S38 | 116 | S37 and (address near5 destination) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:12 |
| S39 | 10 | S38 and (service near3 (table or list)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:13 |
| S40 | 8 | S39 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:14 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S41 | 112 | S38 and service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:16 |
| S42 | 6 | S38 and service and java | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:16 |
| S43 | 92 | S41 and (communication near3 (servers or nodes)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:18 |
| S44 | 81 | S43 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:18 |
| S45 | 61 | S44 and (messag\$3 near3 server) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:18 |
| S46 | 33 | S45 and "709"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:19 |
| S47 | 32 | S46 not S39 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:19 |
| S48 | 147 | (server\$ or node\$) near3 (intermediate adj server) near3 communication | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:23 |
| S49 | 147 | (server\$ or node\$) near3 (intermediate adj server) near3 communication | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:23 |
| S50 | 28 | ((server\$ or node\$) near3 (intermediate adj server) near3 communication).ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:23 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S51 | 21 | S50 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:23 |
| S52 | 4 | S50 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT | ADJ | ON | 2008/07/31 13:24 |
| S53 | 251 | (plurality or multiple) near3 (servers or nodes) near3 (connect\$3 or communicat\$3) near3 intermediate | US-PGPUB; USPAT | ADJ | ON | 2008/07/31 13:30 |
| S54 | 251 | ((plurality or multiple) near3 (servers or nodes) near3 (connect\$3 or communicat\$3) near3 intermediate) | US-PGPUB; USPAT | ADJ | ON | 2008/07/31 13:31 |
| S55 | 16 | ((plurality or multiple) near3 (servers or nodes) near3 (connect\$3 or communicat\$3) near3 intermediate).ab. | US-PGPUB; USPAT | ADJ | ON | 2008/07/31 13:31 |
| S56 | 11 | S55 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:31 |
| S57 | 64 | S54 and ((send\$3 or forward \$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:33 |
| S58 | 50 | S57 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:33 |
| S59 | 10 | S58 and "709"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:33 |
| S60 | 40 | S58 not S59 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:37 |
| S61 | 0 | (first adj instance) and (second instantct) and cluster | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:47 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S62 | 360 | (first adj instance) and (second instance) and cluster | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:48 |
| S63 | 360 | (first adj instance) and (second adj instance) and cluster | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:48 |
| S64 | 10 | (first adj instance) same (second adj instance) same cluster same communicat\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:49 |
| S65 | 8 | S64 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:49 |
| S66 | 33 | S62 and ((send\$3 or forward \$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:54 |
| S67 | 18 | S66 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:54 |
| S68 | 18 | S67 not S65 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 13:54 |
| S69 | 3 | "20050005200" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 14:03 |
| S70 | 2 | "20050108395" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 15:38 |
| S71 | 2 | "20030037148" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/07/31 15:45 |

| | | | | | | |
|-----|-------|--|---|-----|----|------------------|
| S72 | 20924 | (send\$3 or forward\$3 or transmit\$4) near3 (packet or packets) near3 (node or server) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 12:33 |
| S73 | 1816 | S72 and (header near3 address near3 destination) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 12:34 |
| S74 | 80 | S73 and (send\$3 or forward \$3 or transmit\$4) near3 (packet or packets) near3 (intermediate) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 12:34 |
| S75 | 11 | S74 and ((synchroniz\$4 or decod\$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 12:36 |
| S76 | 9 | S75 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 13:46 |
| S77 | 3 | (send\$3 or forward\$3 or transmit\$4) near3 (packet or packets) near3 ((node or server) near3 java) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:26 |
| S78 | 1 | S77 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:27 |
| S79 | 8724 | java near3 (server or node) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:28 |
| S80 | 68 | S79 and (translat\$ near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:29 |
| S81 | 141 | S79 and ((translat\$ or decod \$3 or synchroniz\$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:29 |

| | | | | | | |
|-----|------|--|---|-----|----|------------------|
| S82 | 113 | S81 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:29 |
| S83 | 0 | S82 and (send\$3 or forward \$3 or transmit\$4) near3 (packet or packets) near3 (intermediate) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:30 |
| S84 | 0 | S82 and ((send\$3 or forward \$3 or transmit\$4) near3 (intermediate)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:30 |
| S85 | 101 | S82 and (intermediate or gateway) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:31 |
| S86 | 20 | S82 and ((send\$3 or forward \$3 or transmit\$4) near5 (intermediate or gateway)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:31 |
| S87 | 4523 | 2ee | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:49 |
| S88 | 12 | S81 and S87 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:51 |
| S89 | 3 | S88 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:51 |
| S90 | 0 | java\$based adj server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:58 |
| S91 | 41 | java\$based adj server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:58 |

| | | | | | | |
|------|------|--|---|-----|----|---------------------|
| S92 | 25 | S91 and (@ad< "20031230" or @rlad< "20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 14:58 |
| S93 | 3 | S92 and ((translat\$ or decod\$3 or synchroniz\$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:03 |
| S94 | 0 | (non java\$based) adj server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:06 |
| S95 | 0 | (non adj java\$based) adj server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:11 |
| S96 | 2 | (non adj java\$based) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:11 |
| S97 | 0 | "007117266" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:14 |
| S98 | 5 | "2007117266" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:14 |
| S99 | 1711 | fishman.in. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:15 |
| S100 | 3 | "20030018887" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:18 |
| S101 | 2 | "6721779".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:21 |

| | | | | | | |
|------|-----|--|---|-----|----|---------------------|
| S102 | 2 | "6877023".pn. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 15:22 |
| S103 | 660 | java\$based with server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 17:02 |
| S104 | 491 | S103 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 17:02 |
| S105 | 0 | (non adj java\$based) with server | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 17:02 |
| S106 | 12 | S104 and ((translat\$ or decod \$3 or synchroniz\$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/19 17:03 |
| S107 | 21 | communicat\$4 near3 java- based near3 (server or node) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:26 |
| S108 | 17 | S107 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:26 |
| S109 | 3 | S108 and j2e\$ | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:42 |
| S110 | 248 | java-based near3 (server or node) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:52 |
| S111 | 171 | S110 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:52 |

| | | | | | | |
|------|----|---|---|-----|----|---------------------|
| S112 | 41 | S111 and j2e\$ | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:52 |
| S113 | 16 | S112 and (intermediate or gateway) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:53 |
| S114 | 24 | S112 and ((plurality or multiple or instance) near3 (server or node)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:58 |
| S115 | 11 | S114 and (intermediate or gateway) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 13:58 |
| S116 | 13 | S114 not S115 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 14:01 |
| S117 | 10 | S112 and "709"/\$.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 14:07 |
| S118 | 1 | S112 and "709"/217.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:46 |
| S119 | 10 | S110 and "709"/217.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:46 |
| S120 | 10 | S110 and "709"/219.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:46 |
| S121 | 3 | S110 and "709"/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:46 |

| | | | | | | |
|------|------|---|---|-----|----|---------------------|
| S122 | 2049 | (server\$ or node\$) near3 (intermediate adj server) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S123 | 267 | S122 and ((send\$3 or forward \$3) near3 packet) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S124 | 134 | S123 and (address near5 destination) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S125 | 126 | S124 and service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S126 | 102 | S125 and (communication near3 (servers or nodes)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S127 | 91 | S126 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S128 | 68 | S127 and (messag\$3 near3 server) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S129 | 0 | S128 and "709"/230.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 14:57 |
| S130 | 3 | S128 and "709"/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:02 |
| S131 | 6531 | java near2 server | US-PGPUB; USPAT | ADJ | ON | 2009/04/06 15:02 |
| S132 | 218 | java\$based near2 server | US-PGPUB; USPAT | ADJ | ON | 2009/04/06 15:03 |

| | | | | | | |
|------|-----|--|---|-----|----|---------------------|
| S133 | 126 | S132 and (@ad<"20031230" or @rlad<"20031230") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:03 |
| S134 | 3 | S133 and "709"/230.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:03 |
| S135 | 3 | S133 and "709"/238.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:03 |
| S136 | 6 | S133 and "709"/217.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:03 |
| S137 | 6 | S133 and "709"/219.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/06 15:03 |

4/ 7/ 2009 1:02:32 PM

C:\ Documents and Settings\ staha\ My Documents\ EAST\ Workspaces\ 10750280.wsp